

ASTM - AISI THICKNESS TOLERANCE RANGES*

55% ALUMINUM-ZINC ALLOY COATED STEEL SHEETS

		Total Coated Thickness (inches)		lbs / sq ft (AZ50)			Total Coated Thickness (inches)		lbs / sq ft (AZ50)
Gage No.	Dec Equiv	Toler Range	Weight Equiv°		Gage No.	Dec Equiv	Toler Range	Weight Equiv°	
18	0.0516	0.0566 0.0466	2.071		26	0.0217	0.0247 0.0187	0.851	
19	0.0456	0.0506 0.0406	1.826		27	0.0202	0.0232 0.0172	0.790	
20	0.0396	0.0436 0.0356	1.581		28	0.0187	0.0217 0.0157	0.729	
21	0.0366	0.0406 0.0326	1.459		29	0.0172	0.0202 0.0142	0.668	
22	0.0336	0.0376 0.0296	1.337		30	0.0157	0.0187 0.0127	0.606	
23	0.0306	0.0346 0.0266	1.214		31	0.0142	0.0172 0.0112	0.545	
24	0.0276	0.0316 0.0236	1.092		32	0.0134	0.0164 0.0104	0.513	
25	0.0247	0.0287 0.0207	0.974		33	0.0126	0.0156 0.0096	0.480	

*Tolerances shown for widths over 32" to 60" inclusive.

°Based on density of .1355 lbs per cubic inch



**CASCADIA
METALS INC.**